





orloital











ORBITAL

Crossing galactic paths.

Orbital paths of multicolored celestial bodies with hypnotically glowing cores. This ingenious design of hand-blown glass lenses, held together by a metal mounting, creates a fascinating visual experience from different angles.

Design by Studio deFORM



loommo



loommo



Kabelovna Studios, 2022









Interior by Soul Interiors, Poland, 2022









Glass options: polaris white, venus pink, mercury black, clear

Fitting options: silver, patina gold



polaris white patina gold fitting



venus pink patina gold fitting



mercury black silver fitting



clear patina gold fitting

wall & ceiling

Glass options: polaris white, venus pink, mercury black, clear

Fitting options: silver, patina gold

bomma



polaris white patina gold fitting



venus pink silver fitting



mercury black silver fitting



clear patina gold fitting

table

Glass options: polaris white, venus pink,

mercury black, clear

Fitting options: silver, patina gold

loommo



polaris white + venus pink gold fitting



polaris white + venus pink black fitting



Glass options: polaris white, venus pink, mercury black, clear Fitting options: gold, black

technical informations


ORBITAL pendant


Design by Studio deFORM

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Orbital Collection is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.





LIGHTING DESCRIPTION

Size	360 × 252 × 360 mm
	14,2 × 9,9 × 14,2 inch
Cable	black textile braid 2,5 m / 98,4 inch
Weight	+-9 kg / 19,8 lb
Glass	mouth-blown lead-free crystal with in Moon clear, Venus pink, Polaris white, Mercury black
Mounting	silver (polished stainless steel) patina gold (brushed stainless steel with nitride titan coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU)
	110-120 V / A.C. 60 Hz (USA)
Class	I. EU / I. USA

LIGHT SOURCE

Туре	G80, 6W LED, 510 lm
Base	E27 EU / E26 USA
Wattage	max. 13W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC; on demand dimmable with DALI, RF:WIFI, for information on dimming with other systems please contact your Bomma partner.

PACKAGING

Material	Cardboard
Size	510 × 430 × 430 mm
	20,1 × 16,9 × 16,9 inch


















ORBITAL table lamp


Design by Studio deFORM

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Orbital Collection is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.





LIGHTING DESCRIPTION

Size	360 × 435 × 252 mm
	14,2 × 17,1 × 9,9 inch
Cable	black textile braid 1,8 m / 70,9 inch
Weight	+- 12 kg / 26,4 lb
Glass	mouth-blown lead-free crystal with in Moon clear, Venus pink, Polaris white, Mercury black
Mounting	silver (polished stainless steel) patina gold (brushed stainless steel with nitride titan coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU)
	110-120 V / A.C. 60 Hz (USA)
Class	I. EU / I. USA

LIGHT SOURCE

Туре	G80, 6W LED, 510 lm
Base	E27 EU / E26 USA
Wattage	max. 13W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner. Dimmer within the power cable.

PACKAGING

Material	Cardboard
Size	510 × 430 × 430 mm
	20,1 × 16,9 × 16,9 inch















ORBITAL


wall & ceiling lighting


Design by Studio deFORM

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Orbital Collection is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.





LIGHTING DESCRIPTION

14,2 × 6,1 × 14,2 inch Weight +- 6,8 kg / 15 lb Glass mouth-blown lead-free crystal with in Moon clear, Venus pink, Polaris white, Mercury black silver (polished stainless steel) patina gold (brushed stainless steel with nitride titan coating) Protection IP 20		
Weight +- 6,8 kg / 15 lb Glass mouth-blown lead-free crystal with in Moon clear, Venus pink, Polaris white, Mercury black silver (polished stainless steel) patina gold (brushed stainless steel with nitride titan coating) Protection IP 20 Nominal voltage 220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)	Size	360 × 155× 360 mm
Glass mouth-blown lead-free crystal with in Moon clear, Venus pink, Polaris white, Mercury black Silver (polished stainless steel) patina gold (brushed stainless steel with nitride titan coating) Protection IP 20 Nominal voltage 220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)		14,2 × 6,1 × 14,2 inch
Glass clear, Venus pink, Polaris white, Mercury black silver (polished stainless steel) patina gold (brushed stainless steel with nitride titan coating) Protection IP 20 Nominal voltage 220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)	Weight	+- 6,8 kg / 15 lb
Mounting patina gold (brushed stainless steel with nitride titan coating) Protection IP 20 Nominal voltage 220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)	Glass	•
Nominal voltage 220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)	Mounting	patina gold (brushed stainless steel with
110-120 V / A.C. 60 Hz (USA)	Protection	IP 20
	Nominal voltage	220-240V / A.C. 50 hz (EU)
Class I. EU / I. USA		110-120 V / A.C. 60 Hz (USA)
	Class	I. EU / I. USA

LIGHT SOURCE

Туре	G80, 6W LED, 510 lm
Base	E27 EU / E26 USA
Wattage	max. 13W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

PACKAGING

Material	Cardboard
Size	510 × 430 × 430 mm
	20,1 × 16,9 × 16,9 inch












ORBITAL floor lamp

Design by Studio deFORM

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Orbital Collection is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.



LIGHTING DESCRIPTION

Size	360 × 1500 mm
	14,2 × 59 inch
Cable	black, textile braid 1,8 m / 70,8 inch
Weight	+- 35 kg / 77 lb
Glass	mouth-blown lead-free crystal with in Moon clear, Venus pink, Polaris white, Mercury black
Mounting	patina gold (brushed stainless steel with nitride titan coating) black (stainless steel with black powder coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU)
	110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Туре	G80, 6W LED, 510 lm
Base	E27 EU / E26 USA
Wattage	max. 13W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner. Dimmer within the power cable.

PACKAGING

Material	Cardboard	
Size	510 × 430 × 430 mm	
	20,1 × 16,9 × 16,9 inch	
	1550 × 540 × 540 mm	
	61 × 21,3 × 21,3 inch	















BMRC Group s.r.o. Hvězdova 1716/2b, Prague 4, 140 00, Czech Republic

info@bomma.cz

step beyond